



FIG. 1

Melt Flow vs. Hydrogen for RK-100, RH-220 and Catalyst X with Various Donors (Al/Si-50)





FIG. 2

Melt Flow vs. Hydrogen for RK-100, RH-220 and Catalyst X with Various Donors (Al/Si-10)



2/5

FIG. 3

Xylene Solubles vs. Donor Level at Low
 Hydrogen (0.09 mol %) for RK-100, RH-220 and
 Catalyst X





FIG. 4

Xylene Solubles vs. Donor Level at High
 Hydrogen (0.45 mol %) for RK-100, RH-220 and
 Catalyst X



3/5

FIG. 5

Fluff Particle Size Distributions from RK-100,
 RH-220 and Catalyst X with Various Donors
 (Al/Si = 50, H₂ = 0.27 mol %)





FIG. 6

Plot of Hydrogen, Melt Flow, Donor Level,
 and Xylene Solubles During RK-100 Trial



4/5

FIG. 7

Plot of Hydrogen, Melt Flow, Donor Level, and Xylene Solubles
 For Conventional Z-N Catalyst (Catalyst Y)




FIG. 8

Relative Catalyst Productivity for PP Fluff From
 RK-100 and Catalyst Y




FIG. 9

Trend of Xylene Solubles vs. Donor Level for RK-100

